

Product: **ETERNITY (MEN'S TYPE) FW 1038936**5800 Park Vista Circle  
Keller, TX 76244  
Ph#1 (800) 929-9425  
F#1 (817) 741-0879  
Web: [www.lonestarcandlesupply.com](http://www.lonestarcandlesupply.com)

Page 1 of 8

Print Date: 2019-09-30 11:04

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade Name:** ETERNITY (MEN'S TYPE) FW 1038936

### 1.2 Relevant identified product use

**Intended use:** Compound used in customer substance/mixture/product

### 1.3 Details of the manufacturer/supplier of the safety data sheet

**Supplier:** Lone Star Candle Supply, Inc.  
5800 Park Vista Circle  
Keller, TX 76244  
Ph#1 (800) 929-9425  
F#1 (817) 741-0879  
Web: [www.lonestarcandlesupply.com](http://www.lonestarcandlesupply.com)

### 1.4 Emergency telephone number

**1 (817) 741-0876** Domestic USA, Canada, Puerto Rico, and US Virgin Islands  
International

## 2. Hazards Identification

### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
---------------------------------------	-------------------------------


#### Classification Other

Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [ ] IARC [ ] NTP [ ] OSHA [ ]
-----------------	---

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

##### Hazard pictograms

**Signal Word: Warning**

##### Hazard statements

H315	Causes skin irritation
H317	May cause an allergic skin reaction

Product: **ETERNITY (MEN'S TYPE) FW 1038936**

5800 Park Vista Circle  
 Keller, TX 76244  
 Ph#1 (800) 929-9425  
 F#1 (817) 741-0879  
 Web: www.lonestarcandlesupply.com

H333 May be harmful if inhaled  
 H411 Toxic to aquatic life with long lasting effects

**Precautionary Statements****Prevention:**

P264 Wash hands thoroughly after handling  
 P272 Contaminated work clothing should not be allowed out of the workplace  
 P273 Avoid release to the environment

**Response:**

P302 + P352 IF ON SKIN: Wash with soap and water  
 P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell  
 P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention  
 P362 Take off contaminated clothing and wash before reuse  
 P363 Wash contaminated clothing before reuse  
 P391 Collect Spillage

**2.3 Other Hazards**

no data available

**3. Composition/Information on Ingredients****3.1 Mixtures**

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
84-66-2 <i>Diethyl phthalate</i>	201-550-6	60 - 70 %	H316; H402
54464-57-2 <i>Tetramethyl Acetyloctahydronaphthalenes</i>	259-174-3	5 - 10 %	H315; H317; H400; H410
19870-74-7 <i>Cedrol methyl ether</i>	243-384-7	5 - 10 %	H317; H400; H410
1222-05-5 <i>Hexamethylindanopyran</i>	214-946-9	2 - 5 %	H316; H400; H410
18479-58-8 <i>2,6-dimethyloct-7-en-2-ol</i>	242-362-4	2 - 5 %	H227; H303; H315; H319; H402
28219-61-6 <i>Ethyl trimethylcyclopentene butenol</i>	248-908-8	2 - 5 %	H319; H401; H411
32388-55-9 <i>Acetyl cedrene</i>	251-020-3	1 - 2 %	H303; H317; H400; H410
21145-77-7 <i>Acetyl hexamethyl tetralin</i>	244-240-6	1 - 2 %	H302; H400; H410
101-86-0 <i>Hexyl cinnamaldehyde</i>	202-983-3	1 - 2 %	H303; H316; H317; H400; H411

Product: **ETERNITY (MEN'S TYPE) FW 1038936**

5800 Park Vista Circle  
Keller, TX 76244  
Ph#1 (800) 929-9425  
F#1 (817) 741-0879  
Web: www.lonestarcandlesupply.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification
<b>2050-08-0</b> <i>Amyl salicylate</i>	218-080-2	1 - 2 %	H302; H400; H410
<b>115-95-7</b> <i>Linalyl Acetate</i>	204-116-4	1 - 2 %	H227; H315; H317; H320; H402
<b>80-54-6</b> <i>Butylphenyl Methylpropional</i>	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H361; H401; H412
<b>1205-17-0</b> <i>a-Methyl-1,3-benzodioxole-5-propionaldehyde</i>	214-881-6	0.1 - 1.0 %	H303; H317; H361; H401; H411
<b>57378-68-4</b> <i>delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one (delta-Damascone)</i>	260-709-8	0.1 - 1.0 %	H302; H315; H317; H318; H400; H410

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which were not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.97

## 4. First Aid Measures

### 4.1 Description of first aid measures

<b>Inhalation:</b>	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
<b>Eye Exposure:</b>	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
<b>Skin Exposure:</b>	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
<b>Ingestion:</b>	Rinse mouth with water and obtain medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

<b>Symptoms:</b>	no data available
<b>Risks:</b>	Refer to Section 2.2 "Hazard Statements"

### 4.3 Indication of any immediate medical attention and special treatment needed

<b>Treatment:</b>	Refer to Section 2.2 "Response"
-------------------	---------------------------------

## 5. Fire-Fighting measures

### 5.1 Extinguishing media

<b>Suitable:</b>	Carbon dioxide (CO <sub>2</sub> ), Dry chemical, Foam
<b>Unsuitable</b>	Do not use a direct water jet on burning material

### 5.2 Special hazards arising from the substance or mixture

<b>During fire fighting:</b>	Water may be ineffective
------------------------------	--------------------------

### 5.3 Advice for firefighters

<b>Further information:</b>	Standard procedure for chemical fires
-----------------------------	---------------------------------------



Product: **ETERNITY (MEN'S TYPE) FW 1038936**

5800 Park Vista Circle  
Keller, TX 76244  
Ph#1 (800) 929-9425  
F#1 (817) 741-0879  
Web: www.lonestarcandlesupply.com

**6. Accidental Release Measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

**6.2 Environmental precautions**

Keep away from drains, soil, and surface and groundwater.

**6.3 Methods and materials for containment and cleaning up**

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

**6.4 Reference to other sections**

Not Applicable

**7. Handling and Storage**

**7.1 Precautions for safe handling**

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

**7.3 Specific end uses**

No information available

**8. Exposure Controls/Personal Protection**

**8.1 Control parameters**

**Exposure Limits:**

**Component**

ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
			5

**84-66-2**      *Diethyl phthalate*

**Engineering Controls:**      Use local exhaust as needed.

**8.2 Exposure controls - Personal protective equipment**

**Eye protection:**      Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

**Respiratory protection:**      Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:**      Avoid Skin contact. Use chemically resistant gloves as needed.

**9. Physical and Chemical Properties**

**9.1 Information on basic physical and chemical properties**

**Appearance:**      Liquid

**Odor:**      Conforms to Standard

Product: **ETERNITY (MEN'S TYPE) FW 1038936**

5800 Park Vista Circle  
Keller, TX 76244  
Ph#1 (800) 929-9425  
F#1 (817) 741-0879  
Web: www.lonestarcandlesupply.com

<b>Color:</b>	Yellow Tint (G0/1) to Pale Yellow (G3)
<b>Viscosity:</b>	Liquid
<b>Freezing Point:</b>	Not determined
<b>Boiling Point:</b>	Not determined
<b>Melting Point:</b>	Not determined
<b>Flashpoint (CCCFP):</b>	>200 F (93.33 C)
<b>Auto flammability:</b>	Not determined
<b>Explosive Properties:</b>	None Expected
<b>Oxidizing properties:</b>	None Expected
<b>Vapor Pressure (mmHg@20 C):</b>	0.0168
<b>%VOC:</b>	0.02
<b>Specific Gravity @ 25 C:</b>	1.0530
<b>Density @ 25 C:</b>	1.0500
<b>Refractive Index @ 20 C:</b>	1.4980
<b>Soluble in:</b>	Oil

## 10. Stability and Reactivity

<b>10.1 Reactivity</b>	None
<b>10.2 Chemical stability</b>	Stable
<b>10.3 Possibility of hazardous reactions</b>	None known
<b>10.4 Conditions to avoid</b>	None known
<b>10.5 Incompatible materials</b>	Strong oxidizing agents, strong acids, and alkalis
<b>10.6 Hazardous decomposition products</b>	None known

## 11. Toxicological Information

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

<b>Acute toxicity - Oral - (Rat) mg/kg</b>	Not classified - the classification criteria are not met
<b>Acute toxicity - Dermal - (Rabbit) mg/kg</b>	Not classified - the classification criteria are not met
<b>Acute toxicity - Inhalation - (Rat) mg/L/4hr</b>	(LD50: 22.0251) May be harmful if inhaled
<b>Skin corrosion / irritation</b>	May be harmful if inhaled
<b>Serious eye damage / irritation</b>	Not classified - the classification criteria are not met
<b>Respiratory sensitization</b>	Not classified - the classification criteria are not met
<b>Skin sensitization</b>	May cause an allergic skin reaction
<b>Germ cell mutagenicity</b>	Not classified - the classification criteria are not met
<b>Carcinogenicity</b>	Not classified - the classification criteria are not met



Product: **ETERNITY (MEN'S TYPE) FW 1038936**

5800 Park Vista Circle  
Keller, TX 76244  
Ph#1 (800) 929-9425  
F#1 (817) 741-0879  
Web: www.lonestarcandlesupply.com

<b>Reproductive toxicity</b>	Not classified - the classification criteria are not met
<b>Specific target organ toxicity - single exposure</b>	Not classified - the classification criteria are not met
<b>Specific target organ toxicity - repeated exposure</b>	Not classified - the classification criteria are not met
<b>Aspiration hazard</b>	Not classified - the classification criteria are not met

## 12. Ecological Information

### 12.1 Toxicity

<b>Acute aquatic toxicity</b>	Not classified - the classification criteria are not met
<b>Chronic aquatic toxicity</b>	Toxic to aquatic life with long lasting effects
<b>Toxicity Data on soil</b>	no data available
<b>Toxicity on other organisms</b>	no data available

**12.2 Persistence and degradability** no data available

**12.3 Bioaccumulative potential** no data available

**12.4 Mobility in soil** no data available

**12.5 Other adverse effects** no data available

## 13. Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

**Marine Pollutant** Yes. Ingredient of greatest environmental impact :  
54464-57-2 : (5 - 10 %) : Tetramethyl Acetyloctahydronaphthalenes

Regulator	Class	Pack Group	Sub Risk	UN-nr.
<b>U.S. DOT (Non-Bulk)</b> Chemicals NOI	Not Regulated - Not Dangerous Goods			
<b>ADR/RID (International Road/Rail)</b>				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
<b>IATA (Air Cargo)</b>				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
<b>IMDG (Sea)</b>				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082



Product: **ETERNITY (MEN'S TYPE) FW 1038936**

5800 Park Vista Circle  
Keller, TX 76244  
Ph#1 (800) 929-9425  
F#1 (817) 741-0879  
Web: www.lonestarcandlesupply.com

**15. Regulatory Information**

**U.S. Federal Regulations**

**TSCA (Toxic Substance Control Act)** All components of the substance/mixture are listed or exempt  
**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains the following components:  
84-66-2 201-550-6 60 - 70 % Diethyl phthalate

**U.S. State Regulations**

**California Proposition 65 Warning** This product contains the following components:  
123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

**Canadian Regulations**

**DSL** 100.00% of the components are listed or exempt. The following components are NOT on the List:  
815580-59-7 453-570-1 <= 0 ppm 3-Cyclohexene-1-carboxylic acid, 2,6,6-trimethyl-, methyl ester

**16. Other Information**

**GHS H-Statements referred to under section 3 and not listed in section 2**

- |   |  |
|---|--|
| H227 : Combustible liquid                                   | H302 : Harmful if swallowed                              |
| H303 : May be harmful if swallowed                          | H316 : Causes mild skin irritation                       |
| H317 : May cause an allergic skin reaction                  | H318 : Causes serious eye damage                         |
| H319 : Causes serious eye irritation                        | H320 : Causes eye irritation                             |
| H361 : Suspected of damaging fertility or the unborn child  | H400 : Very Toxic to aquatic life                        |
| H401 : Toxic to aquatic life                                | H402 : Harmful to aquatic life                           |
| H410 : Very toxic to aquatic life with long lasting effects | H412 : Harmful to aquatic life with long lasting effects |

**Total Fractional Values**

- |  |  |
|--|--|
| (TFV) Risk                                     | (TFV) Risk                                   |
| (227.01) Acute Toxicity Inhalation, Category 5 | (90.65) Aquatic Chronic Toxicity, Category 3 |
| (9.06) Aquatic Chronic Toxicity, Category 2    | (8.68) Skin Corrosion/Irritation, Category 3 |
| (7.50) Sensitization, Skin, Category 1B        | (1.42) Skin Corrosion/Irritation, Category 2 |
| (1.08) Aquatic Chronic Toxicity, Category 4    | (1.00) Sensitization, Skin, Category 1A      |

**Department issuing data sheet:**

**Department E-mail address:**

**Remarks**

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.™ holds no responsibility. This document is not intended for quality assurance purposes.



SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: **ETERNITY (MEN'S TYPE) FW 1038936**

Page 8 of 8

Print Date: 2019-09-30 11:04

5800 Park Vista Circle  
Keller, TX 76244  
Ph#1 (800) 929-9425  
F#1 (817) 741-0879  
Web: [www.lonestarcandlesupply.com](http://www.lonestarcandlesupply.com)

---