

**MATERIAL SAFETY DATA SHEET**

Lone Star Candle Supply, Inc.  
5800 Park Vista Circle  
Keller, TX 76244  
Ph: (817) 741-0876 Fax: (817) 741-0879  
www.lonestarcandlesupply.com

**Section I - Identification**

<b>Product Name:</b> Apple Green/Melon Liquid Dye
<b>Date Prepared:</b> 05/14/2019
<b>Prepared By:</b> Lone Star Candle Supply, Inc.

**Section II - Composition/Information on Ingredients**

<b>Contains one or more of the following:</b>	
<b>Common Name</b>	<b>CAS #</b>
Blue Liquid Dye D878	N/A
Yellow Liquid Dye D879	N/A
Red Liquid Dye D858	N/A

**Section III - Hazards Identification**

<b>Emergency Overview:</b> May cause digestive tract irritation. May cause eye irritation. Prolonged or repeated contact may cause skin irritation. May cause digestive tract irritaton. Prolonged or repeated contact may cause skin irritation. May cause digestive tract irritation. Primary routs of exposure: Eye, skin, inhalation (breathing).  Eye contact: May cause slight to mild irritation. Skin contact: Prolonged or repeated contact may cause irritation. Inhalation (Breathing): Irritating to eyes, nose, and respiratory tract. Ingestion: Irritating to mouth, throat, and stomach. Treatment should be directed at preventing absorption, administering to symptoms (if they occur) and preventing supportive therapy.
---

**Section IV - First Aid Measures**

<b>1. Skin:</b> Remove contaminated clothes. Wash thoroughly with soap and water. Contact physician if symptoms persist.
<b>2. Eyes:</b> Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
<b>3. Inhilation:</b> Although this product is not known to cause respiratory problems, if breathing is difficult, remove from exposure site to fresh air. Medical attention is not usually needed. If symptoms develop, seek immediate medical attention. If not breathing, give artificial respiration.
<b>4. Ingestion:</b> Do NOT induce vomiting. Get immediate medical attention. Never give anything by mouth to an unconcious person.
<b>Notes to physican:</b> Treatment should be directed at preventing absorption, adminstering to symptoms (if they occur), and providing supportive thearpy.

**Section V - Firefighting Measures**

<b>Flash point:</b> >200 F, 93.3 C
<b>Method:</b> Seta flash closed cup
<b>Explosive Limits:</b> LEL (%) Not Determined; UEL (%) Not determined
<b>Autoignition:</b> Not determined

<b>Fire and explosion hazards:</b> High temperature can cause sealed containers to rupture due to a build up of internal pressure. Cool with water. Vapors can travel to a source of ignition (flame, electric motor, hot surface, cigarette, etc.) and flash back. During a fire, irritating and highly toxic gases may be generated during combustion or decomposition.
<b>Extinguishing media:</b> Water may be ineffective. For small fires, use dry chemical, carbon dioxide, halon, water spray, or foam. For large fires, use water spray, fog, or alcohol foam.
<b>Fire fighting procedures/equipment:</b> Fire fighters and others who may be exposed to the products of combustion should be equipped with NIOSH-approved pressure self-contained, breathing apparatus (SCBA) and full protective clothing.

#### Section VI - Accidental Release Measures

<b>Evacuation:</b> Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Eliminate all sources of ignition
<b>Containment:</b> Safely stop discharge. Contain material as necessary, with a dike or a barrier. If a substantial quantity is spilled, recover with pump or vacuum truck. Use an absorbent such as Fuller's earth, clay, or other appropriate synthetic absorbent. Place contaminated material in suitable container for disposal. Appropriate safety measures and protective equipment should be used. Stop material from contaminating soil, or from entering sewers or bodies of water.
<b>Clean-up/personal protection equipment.</b> Appropriate safety measures and protective equipment should be used. Use supplied air respirator or self-contained breathing apparatus in enclosed spaces or if airborne exposure limits can be exceeded.
<b>Collection and disposal:</b> Stop discharge, if safe to do so. Use proper protective equipment. Use non-sparking tools and/or explosion-proof equipment. Stop ignition sources. Cover spills with absorbent clay or sawdust and place in closed chemical waste containers. Dispose of according to applicable local, state, and federal regulations.
<b>Reporting:</b> Spills of this material in excess of a component's RQ must be reported to the National Response Center (1-800-424-8802) and to the appropriate state and local emergency response organizations.

#### Section VII - Handling and Storage

<b>Storage conditions:</b> Store in cool, dry, well ventilated area away from heat, ignition sources, and direct sunlight. Keep containers tightly closed.
<b>Personal hygiene:</b> If skin contact occurs, use FCF 7X hand cleaner to remove, followed by washing with soap and water. Wash thoroughly after handling, especially before eating, drinking, smoking, and using restroom facilities. Wash contaminated goggles, face shield, and gloves. Wash contaminated clothing before re-use.
<b>Empty container precautions:</b> This container is hazardous when empty. Follow label warnings even after container is emptied since empty containers may retain product residues. Do not use heat, sparks, open flames, torches, cigarettes on or near empty container. Do not reuse empty container without professional cleaning for food, clothing, or products for human or animals.

#### Section VIII - Exposure Controls/Personal Protection

<b>Eye protection:</b> Chemical splash goggles are recommended.
<b>Skin protection:</b> Wear protective clothing and appropriate impervious gloves. If skin contact occurs, use FCF 7X hand cleaner to remove, followed by washing with soap and water.
<b>Respiratory protection:</b> Use NIOSH-OSHA approved self-contained breathing apparatus or vapor cartridge respirator (must be worn if PEL and TLV levels are exceeded).

#### Section IX - Physical and Chemical Properties

<b>Boiling Point (F) :</b> >300 F, 148.8 C	<b>Relative Density:</b> N/A
<b>Vapor Density :</b> N/A	<b>Evaporation Rate :</b> N/A
<b>Vapor Pressure (mm Hg@20C) :</b> N/A	<b>Solubility in Water :</b> Insoluble
<b>Flash Point (F) :</b> >200 F	
<b>Appearance &amp; Odor :</b> Green	

#### Section X - Stability & Reactivity Data

<b>Reactivity:</b> N/A
<b>Chemical Stability:</b> Good stability under normal storage conditions.
<b>Conditions to avoid:</b> Avoid extreme heat.
<b>Incompatibility (Materials to Avoid) :</b> Oxidizers. Reducers. Acids. May react with reducing agents to liberate free amine(s).
<b>Hazardous polymerization :</b> Will not occur.

Possibility of hazardous reactions: N/A

#### Section XI - Toxicological Information

Irritating to the skin.

Inhalation of vapors may cause headache, nausea, and dizziness.

Can be absorbed.

#### Section XII - Ecological Information

No data area available on this product

#### Section XIII - Disposal Considerations

Dispose and transport in accordance with all local, state, and federal regulations.

#### Section XIV - Transport Information

Weight (lb) Shipping name Non-regulated	49 CFR IATA IMO Y Y Y
DOT Label	Not applicable, Not Hazardous by DOT Regulations
DOT Label No.	L735-1, 735, L736
UN/NA ID No.	Not applicable
WHMIS Label	L735-1, L735, 736

#### Section XV - Regulatory Information

<b>U.S. Federal Regulations</b>	This product is considered hazardous under the OSHA Hazard Communication Standard (29 CFR 1910.1200)
<b>TSCA (Toxic Substance Control Act)</b>	The chemical components of this product are contained on the section 8 (B) chemical substance inventory list (40 CFR 710)
<b>SARA Title III - Section 311/312 - Hazard Categories</b>	N - Fire Hazard N - Sudden release of pressure hazard N - Reactivity hazard Y - Immediate (acute) health hazard Y - Delayed (chronic) health hazard
<b>Ozone-depleting chemicals</b>	No regulated ingredients
<b>SARA Section 302 Extremely Hazardous Materials</b>	No regulated ingredients
<b>SARA Section 313 Toxic Chemicals</b>	No regulated ingredients
<b>Chemical Listing</b>	Toxic Substance Control Act Chemical component(s) of this product are on the section 8(b) Chemical Substance Inventory List (40 CFR 710)
<b>U.S. State Regulations</b>	
<b>California Proposition 65 Warning</b>	This mixture contains the following chemical (s) subject to the reporting requirements of the Safe Drinking Water and Toxic Enforcement Act of 1986: No regulated ingredients
<b>Canadian Regulations</b>	This is a "controlled product" under the Canadian Workplace Hazardous Materials Information System (WHMIS). This material safety data sheet provides information that complies with the requirements set forth under the Canadian workplace hazardous materials information system (WHMIS).
<b>Claim for exemption registry no.</b>	Not applicable
<b>Expiration date</b>	Not applicable

Class D Division 2 Sub-Division B	
CEPA-NPRI	Not applicable

### Section XVI - Other Information and Disclosure

#### User's Responsibility:

A bulletin such as this cannot be expected to cover all possible individual situations. As the user has the responsibility to provide safe workplace, all aspects of an individual operation should be examined if, or where, precautions - in addition to those described herein - are required. Any health hazard and safety information herein should be passed on to your customers or employees, as the case may be.

The information in this Material Safety Data Sheet was obtained from current and reliable sources however, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage, and disposal of this product are beyond Lone Star Candle Supply, Inc.'s control, it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for loss, damage, or expense arising out of this product's improper use. Various federal, state, or provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user shall review these regulations to ensure full compliance. **No warranty express or implied regarding the product described herein shall be created by or inferred from any statement or omission in this Material Safety Data Sheet.**